

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alcassedan, Virginia 22313-1450 www.emplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/564,998	06/06/2006	Alastair Edwin McAuley	1171/44279/162-PCT-US	6127	
279 2790 2790 2790 2790 2790 2790 2790 2			EXAM	EXAMINER	
			WON, BRIAN D		
			ART UNIT	PAPER NUMBER	
CHICAGO, IL 60603			3771		
			MAIL DATE	DELIVERY MODE	
			07/27/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/564.998 MCAULEY ET AL. Office Action Summary Examiner Art Unit **BRIAN WON** 3771 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 18 June 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 16-19 is/are pending in the application. 4a) Of the above claim(s) 12-15 is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 16-19 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on 01/13/06 is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Imformation Disclosure Statement(s) (PTC/S5/08)
 Paper No(s)/Mail Date ______.

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/564,998 Page 2

Art Unit: 3771

DETAILED ACTION

This office action is in response to the amendment filed on 06/18/09. Applicant has amended claims 16 and 19. Currently claims 12-19 are pending in this instant application. Claims 12-15 were withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected claims, there being no allowable generic or linking claim. Election was made without traverse in the reply filed on 03/02/09.

Claim Rejections - 35 USC § 102

 The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filled in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filled in the United States before the invention by the applicant for patent, except that an international application filled under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filled in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- Claim 16-17 are rejected under 35 U.S.C. 102(b) as being anticipated by James (5558090).

Regarding claims 16-17. James discloses in figure 1, a patient interface (16), when in use in fluid communication with supply of gas (see column 2, lines 15-20), a forehead rest (12, 14) engaging the interface, a user-adjustable elastic (see claim 10) headband strap (18) mounted on the forehead rest by means of an adjustment peg (20).

Application/Control Number: 10/564,998

Art Unit: 3771

figure 1 clearly shows the front portion of the headband resting against the face of a patient.

 Claims 16 and 18-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Lang et al. (7000614).

Regarding claims 16 and 18-19, Lang discloses in figure 1, a patient interface (2), when in use in fluid communication with supply of gases, a forehead rest (10) engaging the interface, an elastic forehead pad (14) pivotally (rotatably) mounted on the forehead rest (10) which can be adjusted by pivoting (see arrow P) the pad relative to the forehead rest (10) to achieve different contact positions on the surface of the forehead of the user (see column 7, line 57- column 8, line 9).

Response to Arguments

 Applicant's arguments with respect to claims 16-19 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

- The prior art made of record and not relied upon is considered pertinent to
 applicant's disclosure. Ho et al. (7296574) and Amarasinghe et al. (20040065328),
 Gunaratnam (6520182) and Landis et al. (5687715) discloses forehead rest for patient
 interface devices.
- Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/564,998

Art Unit: 3771

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRIAN WON whose telephone number is (571)270-7129. The examiner can normally be reached on Monday thru Friday, 9:00 A.M to 5.00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571)272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/564,998 Art Unit: 3771

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BRIAN WON/ Examiner, Art Unit 3771

/Justine R Yu/ Supervisory Patent Examiner, Art Unit 3771